# Pharma Tags Sterile Medication Labels

# In Stock Standard Labels

## Go PAPERLESS!!!

PharmaTags are printed on synthetic label stock, not paper based labels which can absorb water when wet and break apart. 100% Guaranteed never to break apart or leave adhesive residue on your solution bowls, basins or medicine cups!!! Removes in 1 piece... Always.

### Custom Design Your Labels: No Charge

Add "M " to an item # to include our permanent waterproof marking pen in your label kits. Example: PT01-M is PT01 with permanent, waterproof marker.

PT01	PT02	
PT01-M (w/ Marke	er) PT02-M (w/ Marke	er)
Lidocaine %	Lidocaine %	
Marcaine %	Marcaine %	
Marcaine% with Epinephrine	Marcaine% with Epinephrine	
Lidocaine% with Epinephrine	Lidocaine% with Epinephrine	
Antibiotic	Antibiotic	
Normal Saline 0.9%	Normal Saline 0.9%	
Normal Saline 0.9%	Normal Saline 0.9%	
Heparin	Heparin	RN Vis Ph
X	ž.	gei the
		rec
		lat

Also include: Time Out Surgical Pause Card or Tent PharmaTags: Removable Basin Labels Specimen Labels or a Dual Tip Marker (Skin Marker on one side and Label Marker on the other



RMAC Surgical Inc. uses only the finest high quality Viscot permanent, waterproof markers in our Pharmatags: Sterile Medication Label kits. Never use gentian violet skin markers on paper based or synthetic labels. Permanent waterproof markers are required for all label kits when writing on the labels.

Antibiotic	Lidocaine %
Bacitracin	Marcaine %
Cocaine	Marcaine% with Epinephrine
DYE	Lidocaine% with Epinephrine
Epinephrine	Peroxide
Heparin	Normal Saline 0.9%
Heparinized Saline	Water
Miochol	Bupivacaine %
Lidocaine	6
Аті <u> </u>	
Marcaine9	6

0,ml\_\_\_\_

Antibiotic	Lidocaine %
Bacitracin	Marcaine %
Cocaine	Marcaine with Epinephrin
DYE	Lidocaine with Epinephrin
Epinephrine	Peroxide
Heparin	Normal Saline 0.9%
Heparinized Saline	Water
Miochol	Bupivacaine
	Lidocaine

Marcaine

%

Ami Exp		Amt	Ехр
Marcaine% with Epinephrine	PT02-AE PT02 AEM (w/ Marker)	with E	ine% pinephrine Exp
۵mLExp Lidocaine% with Epinephrine ۵mLExp	PT02-AEM (w/ Marker)	Lidoca	aine% pinephrine
Antibiotic		An	tibiotic
Ami Exp	PT01-AE	Amt	Ехр
Normal Saline 0.9%	PT01-AEM (w/ Marker)	Normal	Saline 0.9%
Գտե <u>-</u> Exp		<u> ૧</u>	Exp
Normal Saline 0.9%	1	Normal	Saline 0.9%
Ատե Exp		<b>Ա</b>	Exp
Heparin		H	eparin
Aml <u>Exp</u>	· · · · · · · · · · · · · · · · · · ·	Aml	Exp
ն, ը		<b>Գ</b> ալ	Exp
<b>Աասլ Exp</b>		ԳmԼ	Exp

Antibiotic	Lidocaine%
Bacitracin	۸۳۱ <u> </u>
AmiExp	AmlExp
Cocaine%	Marcaine% with Epinephrine
AmlExp DYE AmlExp	AmıExp Lidocaine% with Epinephrine AmıExp
Epinephrine	Peroxide
AmlExp	AmlExp
Heparinunits	Normal Saline 0.9%
AmlExp	AmlExp
Heparinized Saline units/ml AmtExp	Water
Miochol	Bupivacaine%
	Amt Exp

PT03-A&E

#### PT04-A&E PT04-AEM (w/ Marker)

Lidocaine%
AmtExp
Marcaine%
AmlExp
Marcaine%
with Epinephrine
Lidocaine%
with Epinephrine
Peroxide
AmlExp
Normal Saline 0.9%
AmlExp
Water
AmlExp
Bupivacaine%
AmlExp

## Ask us about our new PharmaTags: Anaesthesia Roll Labels.

We have developed a comprehensive list of all Anaesthesia drug labels used in procedural areas and on nursing units.  $\zeta$ 



Larger Labels + Larger Font Size + More visible color

PATIENT SAFETY

ASTM and JCAHO Compliant Includes space to write in Amount and Expiration as per JCAHO 2006 Revised NPSG3d

8			2	
	PT05			
	PT05-M (w/ Marker)	)	2	
4				
	РТ06 РТ06-М	(w/ Marker)		
2. G		<b>``</b>	-11 (j)	
25			2	
	PT05-AE PT05-AEM (w/ N	Marker)		
	and teres	,		
	See E>p. 3mg Gronge		Samp	ble
	See E>p. Jing inorge		Drug	
	See E>p. 3mg inorge		Strength Amt E	хр
	See E>p. Jing intergé			
	Jang Ebp.		RMA	\C
	inergé Sea Esp. Jing		Cura	cal
	ianorgi Sea Esp.		Ruig	
	3mg ianorgit Sea Dop.	к	EEPING SAFETY I	
	)ng inorgé ina Dyp.		1 888 299	2661
	)ng inogé jes Dip.			

#### PT06-AE PT06-AEM (w/ Marker)

#### Sample

Drug		
Strength		
Amt	Exp	

#### Ophthalmology

#### PT09

PT09-M (w/ Marker)

Gentamycinmg	Perfluron
AmlExp	AmtExp
Dexamethasone	Triamcinolone
AmlExp	AmlExp
Miochol	Solumedrol mg
AmlExp	AmlExp
Lidocaine%	C3F8
AmlExp	AmlExp
Marcaine%	SF6
AmlExp	AmlExp
H20	Mitomycin-Cmg/ml
AmlExp	AmlExp
HeparinUnits	4% Aq. Cocaine
AmlExp	AmlExp
Epinephrine 1: 1000	BSS
Aml <u>Exp</u>	AmlExp

)mg invegø Sea	Dp.	)ng Grungt Jon D	P
)my invryd Ine	Dp.	)ng Invegé Sea D	ç.
)ny invy M	Esp.	)rng intergé Sea D	A
)mg Groege See	Бэр.	)mg Groegd Sea D	p.
)my inorgé Ire	Бэр.	)mg inorgi Jea D	P.
)mg Groege See	Dp.	)mg inorgé jes D	p.
)my See	Бэр.	)mg inorgé jes D	A
)mg Groege See	Dp.	)my Grongd Sea D	p.
)mg Groege See	Esp.	)ny Grogo Seo D	A
)my invryt Ire	Dp.	)ny invegé Sea D	P

In early 2006, JCAHO revised it's NPSG3d by removing the need to write in the Date and Initials on the medication labels. They found that this did not enhance patient safety. JCAHO added the need to write in the "Amount" of the drug if the amount was not apparent by the size of the container that the drug was being transferred to. Also included was the need to write in the "Expiration" time if the drug expires in less than 24 hours, or the expiration date if the drug was to be used in the following days.

#### Cardiac

PT10 or PT10	)-M (w/ Marker)
HeparinUnits/ml	HeparinUnits/ml
AmlExp	AmlExp
BacitracinUnits	ThrombinUnits
AmlExp	AmlExp
Normal Saline	Normal Saline
AmlExp	AmtExp
Lidocaine%	PDA
AmlExp	
Marcaine%	RCA
AmlExp	1.0/1
H20	Circumflex
AmlExp	Onedimex
Verapamil	Radial
AmlExp	
Papaverinemg	ОМ
AmlExp	

Locals
PT12
PT12-M (w/ Marker)
Lidocaine%
AmlExp
Lidocaine%
AmlExp
Bupivacaine%
AmlExp
Bupivacaine%
AmlExp
Lidocaine% w/ EPI
AmlExp
Lidocaine% w/ EPI
AmlExp
Bupivacaine% w/ EPI
AmlExp
Bupivacaine% w/ EPI
AmlExp

Margins PT11 PT11-M (w/ Marker) Anterior Medial Lateral Posterior Inferior Superior Left Right

Marcaine %	Verapamil		ker)	1	
Marcaine%	mcg/ml			Don't For	get!!!
mi Exp	Ani Exp Moronomil	Ami	6.0	All of t	hese Standard
idocaine%	Verapamil mcg/ml			Label	Sets can be cus-
n Esp	Ami Exp	Ant	Exp		
Heparin	Nitroprusside mcg/ml			tomize	d at no addition
Exp	Ami Exp	Ami	Exp	charge.	
Heparin	Nitroprussi de				
Exp	Ami Esp	Ant	Exp		
ormal Saline 0.9%	Adenosine mcg/ml				
Esp	mog/mi	Amt	Exp		
docaine%w	Adenosine mag/ml				
Epinephrine	mog/ml	Ant :	Exp		
Depo Medrol	Heparinunits			1	
mg/ml ലം	NaCimi Ani Eag	Ami	Esp		
Cardizem	Heparinunits				
mg/ml	NaClml Ant Exp	Ant C	Exp		
Contrast Dye	Nitroglycerin	1		c Acid 5%	KY Jelly
Exp	mog/mi Ani Exp	Ami	្គ	Exp	AmlExp
Contrast Dye	Nitroglycerin		Lugoľ	s Solution	Water
Exp	mcg/ml المراجع	Ant 🖸	Amt	Exp	AmlExp
	and and			yn/ Monsel's	Saline Inj 0.9%
			۵ . ۸۳۱	grams Exp	AmtExp
DI	AAC		Silvad	ene 50 gm	Saline 0.9% for
K	VIAL		Amt	Exp	Irrigation Ami Exp
		1	Lidoca w/ Ep	aine% ainephrine	Vasopressinunits
N C	uraical	2	Ami	Exp	w/ Saline 0.9% Inj cc
	J. J.		Lidoca	aine%	Indigo Carmine 0.8%
* c			Amt	Exp	cc_Saline 0.9%
KEEPING	SAFETY IN CHEC	ĸ	Bupiva	caine%	H <sub>2</sub> O
1 888 299 2661			Amt	Exp	Ami Exp
10			NSS	6 0.9% for	
			اrr ۸۳۱	rigation Exp	AmlExp
	Womens Hea	alth/Gyı	ու	Εχρ	Ami Exp
			MIR		
	PT14				





1 888 299 2661 Fax 905 306 1755 Email: medsafety@pharmatags.com www.PharmaTags.com

Plastics/ENT

PT15 PT15-M(w/ Marker)

## Neuro PT16 PT16-M(w/ Marker)

Betac	line Solution		Lidocaine	
Ami	Exp	Ami	pinephrine	
Betadine Scrub		Bacitracin		
Ami	E30	And	Exp	
Saline		Bacitracin		
Ami	Esp	Ant	Eng	
Saline		Peroxide%		
Ami	E30	Ami	Exp	
Water		Peroxide%		
Ami	Esp	Ant	Exp	
Water		Thrombin/Gelfoam		
Ami	E30	Ami	Exp	
S	urgifoam			
Ami	Exp	Ami	Esp	
0.25	% Marcaine			
Ami	E30	Ami	Exp	
0.25	% Marcaine			
Ami	Eap	Ami	Eap	
	Lidocaine Epinephrine Exe	3ml	Exp	

You forgot, didn't you? You can customize your label sets for free!